



Purpose Built for Australian Construction Projects

Site Sheds

Versatile, safe and energy efficient, our Site Sheds are endlessly configurable, stackable and made from the same high quality materials as our standard containers. Featuring superior Rockwool insulation, plug and play plumbing and 15A single phase power inlets, they are your compact solution to site amenity requirements.










Our National Network

An Australia wide Footprint

Our depots are located across the country, staffed with highly experienced and skillful teams taking care of our assets so they're ready for your project when you need them next. Minimal delays, minimal fuss and maximum efficiency.



















10ft Site Office

Small on footprint big on versatility. SCF's 10ft units can be utilised as ticket booths, sign in gate, check in office and gatehouse

- + Steel PA door with lockbox
- + Sliding windows with flyscreen and security mesh
- + Split system reverse cycle air conditioning
- + Optional built in desk

Specifications	External		Weight	
10ft Site Office	Length (mm)	2,991	Tare (kg)	2,600
AA196	Width (mm)	2,438	Payload (kg)	1,000
Specifications may vary	Height (mm)	2,896	MGW (kg)	3,600




20ft 10kPa Platform

SCF's 20ft 10kPa hoarding platform provides Australian standard compliant overhead protection and crane storage for space constrained sites

- + AS4586-2013, Class P5 slip rating when used as cantilevered walkways
- + Complies with Australian Standards AS4100, AS1170.1 & AS1170.2
- + Optional wind and rail guard
- + Optional AS1657 compliant gapless hand rails

Specifications	External		Weight	
20ft 10kPa Hoarding Platform	Length (mm)	6,058	Tare (kg)	2,000
HP2	Width (mm)	2,438	Payload (kg)	20,000
Specifications may vary	Height (mm)	260	MGW (kg)	22,000



20ft Ablution Block


Arguably the most important building on site, SCF's 20ft Ablution block is your comfortable, convenient site amenity and hygiene solution.

- + Windows with flyscreen and steel shutters for security and airflow
- + Separate Male and Female toilets with individual access doors
- + Fluorescent LED Lights and double GPOs
- + Installed hot water system

Specifications	External	Weight
20ft Ablution Block	Length (mm) 6,058	Tare (kg) 3,590
AA296-ATB	Width (mm) 2,438	Payload (kg) 6,410
Specifications may vary	Height (mm) 2,896	MGW (kg) 10,000








20ft Change Room

Give your team a dedicated space to get changed and keep their valuables safe. SCF's 20ft Change Room is a smart choice for on site hygiene support

- + Clothing hooks and bench seating
- + Split system reverse cycle air conditioning
- + Hard wired smoke detector with battery back up
- + Lockable steel door

Specifications	External		Weight	
20ft Change Room	Length (mm)	6,058	Tare (kg)	3,370
AA296-AKO	Width (mm)	2,438	Payload (kg)	6,630
Specifications may vary	Height (mm)	2,896	MGW (kg)	10,000







20ft Crib with Bathroom

All the comfort and convenience of our Crib container with the added benefit of an ablution block, this tidy footprint unit can also be utilised as single person accommodation

- + Stainless steel kitchenette
- + Full bathroom facilities including shower
- + Microwave and fridge as standard inclusions
- + Installed hot water unit

Specifications	External		Weight	
20ft Crib with Bathroom	Length (mm)	6,058	Tare (kg)	3,590
AA296-AC	Width (mm)	2,438	Payload (kg)	6,410
Specifications may vary	Height (mm)	2,896	MGW (kg)	10,000







20ft Crib External Toilet

SCF's 20ft Crib with external toilet is not only a place to refuel and refresh, it can also be utilised as a first aid room to support on site medical needs

- + Toilet facilities with external entry
- + Energy efficient internal lighting
- + Stainless steel kitchenette
- + Dedicated installed hot water system

Specifications	External		Weight	
20ft Crib External Toilet	Length (mm)	6,058	Tare (kg)	3,590
AA296-AEX	Width (mm)	2,438	Payload (kg)	6,410
Specifications may vary	Height (mm)	2,896	MGW (kg)	10,000







20ft Ensuite Block

How good is a hot shower after a long day? Provide some creature comforts for your team and support proper hygiene with SCF's 20ft Ensuite block

- + Lockable steel doors
- + 3 separate self contained bathrooms with showers
- + Exhaust fans to increase air flow
- + Dedicated 160L hot water service

Specifications	External		Weight	
20ft Ensuite Block	Length (mm)	6,058	Tare (kg)	3,590
AA296-AAB	Width (mm)	2,438	Payload (kg)	6,410
Specifications may vary	Height (mm)	2,896	MGW (kg)	10,000



20ft Workshop


A flexible alternative, the SCF Shipping Container workshop provides a safe location to complete a range of works. Talk to your SCF representative about our range of customisable options

Options

- + Work benches
- + 3 tier shelving rated to 400kg
- + Single phase wiring
- + Easily accessible GPO

- + Split System Air Conditioning
- + Windows, roller doors and PA doors
- + LED Lighting
- + Custom Paint

Specifications	External		Weight	
20ft Container Workshop	Length (mm)	6,058	Tare (kg)	2,315
Specifications may vary	Width (mm)	2,438	Payload (kg)	28,165
	Height (mm)	2,896	MGW (kg)	30,480







20ft Portable First Aid


A portable medical building or first aid room provides your team with a facility to treat patients in a safe, clean and purpose built environment

- + Stainless Steel Kitchenette
- + Hard wearing vinyl floor for easy cleaning
- + Split system reverse cycle air conditioning
- + Dedicated installed hot water system

Specifications	External		Weight	
20ft First Aid	Length (mm) 6	5,058	Tare (kg)	3,000
AA296-MEDICAL	Width (mm) 2	,438	Payload (kg)	7,000
Specifications may vary	Height (mm) 2	2,896	MGW (kg)	10,000








20ft Site Office

The perfect place to successfully manage your project in comfort, peace and quiet.

- + Recessed split system reverse cycle air conditioner
- + Lockable steel PA doors
- + Windows with flyscreen and security mesh
- + Hardwired smoke alarm with battery backup

Specifications	External		Weight	
20ft Site Office	Length (mm)	6,058	Tare (kg)	3,340
AA296-AKO	Width (mm)	2,438	Payload (kg)	6,660
Specifications may vary	Height (mm)	2,896	MGW (kg)	10,000







20ft Toilet Block

Site amenity management is paramount to any successful project. SCF's toilet blocks contain 5 individual toilets with hand basins and lockable doors for privacy.

- + Individual hot water system
- + Australian Certified appliance inlet
- + Vents and exhaust fan in each cubicle
- + Plug and play' plumbing for easy deployment

Specifications	External	External		
20ft Toilet Block	Length (mm)	6,058	Tare (kg)	3,600
AA296-ACUS	Width (mm)	2,438	Payload (kg)	6,400
Specifications may vary	Height (mm)	2,896	MGW (kg)	10,000



20ft Lunch Room

SCF Lunch Rooms are installed with hot and cold water, sink, stainless steel kitchenette bench, split system reverse cycle air conditioning and lighting. There are also provisions for a microwave and refrigerator, which can be installed in depot prior to delivery.

Key Features

- + Stainless steel kitchenette
- + Energy efficient internal lighting
- + Hot and cold water
- + Various configurations to suit your needs

Specifications

20ft Lunch Room

Specifications may vary

External				
Length (mm)	6,058			
Width (mm)	2,438			
Height (mm)	2,896			

Weight		
Tare (kg)	3,370	
Payload (kg)	6,630	
MGW (kg)	10,000	









40ft Accommodation

4 Individual rooms provide privacy to relax and unwind after a long day on site

- + Deployable to Category D cyclone regions
- + Hardwired smoke alarm with battery backup
- + Flyscreen and steel shutters for security
- + Energy efficient lighting

Specifications	External		Weight	
40ft Accommodation	Length (mm)	12,192	Tare (kg)	7,320
AK496-K4BB	Width (mm)	2,438	Payload (kg)	7,680
Specifications may vary	Height (mm)	2,896	MGW (kg)	15,000




40ft Crib and Bathroom

Your all in one comfort and convenience solution. SCF's 40ft Crib with separate bathroom provides ample space for your team to relax, refuel and refresh.

- + Full bathroom facilities including shower
- + Recessed split system reverse cycle air conditioning
- + Steel PA doors
- + Stainless steel kitchenette with fridge and microwave

Specifications	External		Weight	
40ft Accommodation	Length (mm)	12,192	Tare (kg)	7,320
AK496-K4BB	Width (mm)	2,438	Payload (kg)	7,680
Specifications may vary	Height (mm)	2,896	MGW (kg)	15,000







40ft Office and Lunch

The 40ft unit is particularly popular for sites that require multiple rooms and levels for the workforce. Halve the lifting requirements by using 1×40 ft container instead of 2×20 ft containers.

- + Windows with flyscreen and security mesh
- + Hard wired smoke alarm with battery backup
- + Recessed split system reverse cycle air conditioning
- + Double stackable 1 x 40ft or 2 x 20ft

Specifications	External		Weight	
40ft Office & Crib	Length (mm)	12,192	Tare (kg)	5,000
AK496-KES	Width (mm)	2,438	Payload (kg)	10,000
Specifications may vary	Height (mm)	2,896	MGW (kg)	15,000



M Park - Stage 3 & 4

Macquarie Park | Adco Constructions



SCF

CONTAINER

scf.com.au/construction

131 132