

**SCF**

CONTAINER  
SOLUTIONS

TIC  
ONLY

MAXIMUM  
TAPE

11.2  
24.8  
11.2  
24.8  
65

TAM  
C

# 45FT FLOWBACK TANK



# 45ft Flowback Tank

The SCF 45ft Flowback tank is designed for large scale liquid sediment removal. This unit is compliant for both road and rail transport allowing for rapid deployment in almost any location.

### Key Features

- AS1657 compliant stair and hand rail system
- 484BBL capacity (77,000L)
- Access to the top of the tank
- Built-in triple weir system to assist in sediment separation

### Options

- Customer co-branding
- Removable hatches

### Details

Built as an open top tank with a fold down gantry system, operators can safely access the top of the tank and the central weir to treat water.

Designed for the purpose of removing suspended solids from water with SCF's sediment removal system, the weirs encourage solids to drop from suspension and settle in the bottom of the tank.

The oversize end valve and removable weirs allows the solids to be easily washed out of the tank at the end of each project.

Similar to our 48ft Wheeled Bulk Storage Tank, our Flowback can hold up to 77,000L as a single large storage receptacle, or can be connected in sequence together to allow for further separation.

### Specifications

45ft Flowback Tank  
*Specifications may vary*

External		Weight	
Length (mm)	13,716	Tare (kg)	8,775
Width (mm)	2,438	Payload (kg)	76,000
Height (mm)	2,896	MGW (kg)	84,775
Volume			
Litres	75,000		
m³	75		



Top:  
Stairs stowed  
for transport

Middle Left:  
End wall with  
butterfly drain  
valve

Middle Right:  
AS1657 stair  
system

Below:  
Tank with  
handrails  
stowed for  
transport







TIC  
ONLY

MAXIMUM  
TAPE

11.25  
24.8  
11.2  
24.8  
65

TAM  
C