

25FT MIXING TANK



25ft Mixing Tank

Is your space for mixing fluids on site limited? The 25ft double stackable Mixing Tanks are a medium capacity tank that occupies only a small footprint on site.

Key Features

- AS1657 compliant stair and gantry system
- Internal mixing lines (on certain units)
- 8 inch manifold with 4 x 4' connections
- Front and rear drain valves
- High flow 300mm breather vent to prevent pressurisation

Options

- Galvanised steel
- Mounting points for agitators
- Various linings for acid application

Details

SCF's 25ft Mixing Tank makes the storage and preparation of liquids on site easy. It is also backed by RPEQ certification for peace of mind

The Skid mounted mixing tank enables rapid deployment and remobilisation between projects.

The medium size of the tank provides the ability to mix smaller batches for more efficient fluid management on site whilst maintaining a small footprint if space is limited.

Connection is available in almost any configuration thanks to the multiple connection points both front and rear ensuring storage capacity is scalable for larger projects.

Specifications

25ft Mixing Tank

Specifications may vary

External		Weight	
Length (mm)	7,620	Tare (kg)	6,200
Width (mm)	2,438	Payload (kg)	63,000
Height (mm)	2,896	MGW (kg)	69,200
Volume			
Litres	37,000		
m ³	37		



Top:
AS1657
compliant stair
and gantry
system

Middle Left:
Domed side
access hatch



Middle Right:
Interior view
from open side
access hatch



Below:
Side profile
showing lift
points and level
gauge





2.6
BN

05768 9

LE TANK T11
DR APPROVED
4 BAR

3.4

M3
35
33
31
29
27
25
23
21
19
17
15
13
11
9
7
5
3
1

SCF

35G4

SCFU
819111

EMPTY LIFT ONLY

EMPTY LIFT ONLY

NO LIFTING

SCF
1300 637 789

ONLINE CONTAINERS

www.onlinecontainers.com.au